



# UNITED STATES PATENT AND TRADEMARK OFFICE

*Rev*

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/788,820	02/27/2004	Stuart Butterworth	COHP-5040	6927

28584 7590 10/03/2006

STALLMAN & POLLOCK LLP  
353 SACRAMENTO STREET  
SUITE 2200  
SAN FRANCISCO, CA 94111

EXAMINER

FLORES RUIZ, DELMA R

ART UNIT PAPER NUMBER

2828

DATE MAILED: 10/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/788,820

Applicant(s)

BUTTERWORTH ET AL.

Examiner

Delma R. Flores Ruiz

Art Unit

2828

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 18 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 – 6, 10 – 11 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Salokatve et al. (6,327,293) in view of Bewley et al. (6,448,642).

***Regarding claim 1,*** Salokatve discloses in Figures 1 and 2, an optically pumped semiconductor laser (see Fig. 1, Character 10) component, comprising: a multilayer structure including a mirror (see Fig. 1 Character 14) structure surmounted by a multilayer gain-structure (see Figs. 1, 2, Character 16); and at least a first heat conducting element (see Fig. 1, Character 32) having a high thermal conductivity and having first and second opposite surfaces, said heat-conducting element (see Fig. 1,


Character 32) via said first surface thereof to one of said mirror structure (see Fig. 1, Character 14) and said gain-structure (see Fig. 1, Character 16) and (Column 4, Lines 50 – 54).

Salokatve discloses the claimed invention except for pressure contact bonded without adhesive. However, it is well known in the art to apply the pressure contact bonded without adhesive as disclosed by Bewley in Column 7, Lines 34 – 56. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well known as suggested by Bewley to the laser of Salokatve, because it will provide an excellent thermal bond in a configuration that is simple, requires minimal processing, and eliminates the conventional solder layers which can add thermal resistance to the path from the device to the heat sink, Column 7, Lines 34 – 56 of Bewley.

**Regarding claim 2,** Salokatve discloses in Figures 1 and 2, thermal conductivity of said first heat conducting element is greater than the thermal conductivity (Column 4, Lines 50 – 54).

**Regarding claim 3,** Salokatve discloses in Figures 1 and 2, said first heat conducting element (see Fig. 1, Character 32) is contact bonded (see Fig. 1, Character 31) to said mirror structure (see Fig. 1, Character 14).

Salokatve shown Figure 1



**FIG. 1**

**Regarding claims 4 – 6,** Salokatve discloses in Figure 2, mirror structure (see Fig. 2, Character 14) is a multilayer semiconductor and dielectric structure (see Fig. 2, Characters 52 and 54) and mirror structure includes a metal layer and one or more dielectric layers (Column 3, Lines 50 – 54 and Column 6, Lines 47 - 67).

**Regarding claim 10,** Salokatve discloses in Figures 1 and 2, said first heat-conducting element (see Fig. 1, Character 32) is a diamond element (Column 7, Lines 30 – 31).

**Regarding claim 11,** Salokatve discloses in Figures 1 and 2, said second surface of said first heat-conducting element is in thermal contact with a heat sink (Column 4, Lines 50 – 54).

**Regarding claim 13,** Salokatve discloses in Figures 1 and 2, wherein said first surface of said first heat-conducting element (see Fig. 1, Character 32) is contact bonded to said gain-structure (see Fig. 1, Character 16).

Claim 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Salokatve et al. (6,327,293) in view of Bewley et al. (6,448,642) further in view Zayhowski (5,386,427).

**Regarding claim 9**, Salokatve et al in view of Bewley et al. discloses the claimed invention except for heat conducting element is one of diamond and sapphire element. However, it is well know in the art to apply the heat-conducting element is one of diamond and sapphire element as discloses by Zayhowski in Column 3, Lines 61 – 67. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well known heat conducting element is one of diamond and sapphire element as suggested by Zayhowski to the laser of Salokatve in view of Bewley, because it is a good thermally conductive materials see Column 3, Lines 61 – 67 of Zayhowski.

Claims 7 – 8, 12 and 14, are rejected under 35 U.S.C. 103(a) as being unpatentable over Salokatve et al. (6,327,293) in view of Bewley et al. (6,448,642). further in view of Raymond et al. (6,393,038).

**Regarding claims 7 – 8, 12 and 14**, Salokatve in view of Bewley discloses the claimed invention except for second heat conducting element and heat sink is a cooper

heat sink. However, it is well known in the art to apply the second heat-conducting element as disclosed by Raymond in Figure 1, character 30 and Column 7, Lines 29 – 47. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well known second heat-conducting element as suggested by Raymond to the optically pumped semiconductor laser of Salokatve in view of Bewley, because it will use second heat-conducting element (e.g. comprising copper) for temperature control and cooling see Column 7, Lines 30 – 32 of Raymond.

Salokatve discloses the claimed invention except for pressure contact bonded without adhesive. However, it is well known in the art to apply the pressure contact bonded without adhesive as disclosed by Bewley in Column 7, Lines 34 – 56. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well known as suggested by Bewley to the laser of Salokatve, because it will could provides an excellent thermal bond in a configuration that is simple, requires minimal processing, and eliminates the conventional solder layers which can add thermal resistance to the path from the device to the heat sink, Column 7, Lines 34 – 56 of Bewley.

Claims 15, are rejected under 35 U.S.C. 103(a) as being unpatentable over Salokatve et al. (6,327,293) in view of Bewley et al. (6,448,642) further in view of Raymond et al. (6,393,038) further in view Zayhowski (5,386,427).



Salokatve in view of Bewley further in view of Raymond discloses the claimed invention except for heat conducting element is one of diamond and sapphire element. However, it is well known in the art to apply the heat conducting element is one of diamond and sapphire element as disclosed by Zayhowski in Column 3, Lines 61 – 67. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well known heat conducting element is one of diamond and sapphire element as suggested by Zayhowski to the laser of Salokatve in view of Bewley further in view of Raymond, because it is a good thermally conductive material see Column 3, Lines 61 – 67 of Zayhowski.

Claims 16 – 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Salokatve et al. (6,327,293) in view of Bewley et al. (6,448,642) further in view of Pinneo (6,919,525).

**Regarding claim 16 – 21,** Salokatve discloses in Figures 1 and 2, an optically pumped semiconductor laser (see Fig. 1, Character 10) component, comprising: a multilayer structure including a mirror (see Fig. 1 Character 14) structure surmounted by a multilayer gain-structure (see Figs. 1, 2, Character 16).

Salokatve discloses the claimed invention except for pressure contact bonded without adhesive. However, it is well known in the art to apply the pressure contact bonded without adhesive as disclosed by Bewley in Column 7, Lines 34 – 56. Therefore,

it would have been obvious to a person having ordinary skill in the art to apply the well known as suggested by Bewley to the laser of Salokatve, because it will could provides an excellent thermal bond in a configuration that is simple, requires minimal processing, and eliminates the conventional solder layers which can add thermal resistance to the path from the device to the heat sink, Column 7, Lines 34 – 56 of Bewley.

Salokatve discloses the claimed invention except for heat spreader element and heat spreader element is formed for CVD diamond. However, it is well know in the art to apply the heat spreader element and heat spreader element is formed for CVD diamond as discloses by Pinneo in Column 4, Lines 18 – 25. Therefore, it would have been obvious to a person having ordinary skill in the art to apply the well know heat spreader element and heat spreader element is formed for CVD diamond as suggested by Pinneo to the optically pumped semiconductor laser of Salokatve in view or Bewley, because it's routinely sold for commercial applications ranging from cutting tools to heat spreaders. All diamond CVD processes to date have been characterized by very low process efficiency in terms of the amount of diamond produced in response to consumption of energy and synthesis materials. There has been a long-felt need within the CVD diamond industry to improve diamond CVD process efficiencies. This long felt need has given rise to vigorous prior but unsuccessful efforts to achieve significantly higher process efficiencies see Column 4, Lines 18 – 36 of Pinneo.

### ***Response to Arguments***

Applicant's arguments with respect to claims 1 - 21 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Delma R. Flores Ruiz whose telephone number is (571) 272-1940. The examiner can normally be reached on M - F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Min Sun Harvey can be reached on (571) -272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic

Art Unit: 2828

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



ARMANDO RODRIGUEZ  
PRIMARY EXAMINER

Delma R. Flores Ruiz  
Examiner  
Art Unit 2828  
DRFR/MH  
September 7 2006

Min Sun Harvey  
Supervisor Patent Examiner  
Art Unit 2828